

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 04/02/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. **Product identifier**

Product name

: C2 Slow Cure Catalyst

Product form

: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

New Nautical Coatings, Inc. Sea Hawk Premium Yacht Finishes 14805 49th Street North Clearwater, FL 33762 USA Only: 1-800-528-0997 International: (727) 523-8053

1.4. **Emergency telephone number**

Emergency number

: 813-523-8053 : CHEMTREC 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute Tox. 4 (Oral)	H302
Acute Tox. 4 (Dermal)	H312
Skin Corr. 1B	H314
Skin Sens. 1	H317
Repr. 2	H361
Aquatic Acute 3	H402
Aquatic Chronic 2	H411

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)

	GHS05	GHS07	GHS08	GHS09	
Signal word (GHS-US)	: Danger				
Hazard statements (GHS-US)	H314 - Causes H317 - May cau H361 - Suspec H402 - Harmful		s and eye dama in reaction fertility. Suspecte	ge ed of damaging the unbo	orn child
Precautionary statements (GHS-US)	P202 - Do not f P260 - Do not f P261 - Avoid bi P264 - Wash h P270 - Do not f P272 - Contam P273 - Avoid re P280 - Wear ey P301+P312 - If P301+P330+P3 P302+P352 - If P303+P361+P3 Rinse skin with P304+P340 - If P305+P351+P3 contact lenses, P308+P313 - If P310 - Immedia P312 - Call a di	preathe dust, fum reathing vapours, ands, forearms a eat, drink or smol- inated work clothe elease to the envi- ve protection, pro- swallowed: Call 331 - If swallowed: an skin: Wash w 353 - IF ON SKIN water/shower - INHALED: Rem 338 - IF IN EYES if present and ea- exposed or conc- ately call a doctor octor, a poison ca- treatment (see fi	fety precautions e, mist, spray, va fume, gas, spra nd face thorough we when using the ing must not be ronment tective gloves, p a doctor, a poisc d: rinse mouth. D ith plenty of soal (or hair): Take of rove person to fre : Rinse cautiousl say to do. Contin- reerned: Get medi r, a poison cente enter if you feel u	y, mist, dust ally after handling is product allowed out of the workp rotective clothing, face s in center if you feel unw to NOT induce vomiting o and water off immediately all conta esh air and keep comfor y with water for several ue rinsing cal advice/attention r	blace shield ell minated clothing. table for breathing
04/02/2015	C2 Slow Cure Catalys	t			Pag

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse
P363 - Wash contaminated clothing before reuse
P391 - Collect spillage
P405 - Store locked up
P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste

2.3. Other hazards

: None under normal conditions.

Other hazards not contributing to the classification

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%
Propylene glycol diamine, 2-amino-, diether with Propylene	(CAS No) 9046-10-0	15 - 40
1,2-Ethanediamine, N,N'-bis(2-aminoethyl)-, polymer with methyloxirane	(CAS No) 26950-63-0	15 - 40
Diethylenetriamine-bisphenol A-epichlorohydrin polymer	(CAS No) 31326-29-1	15 - 40
Diethylenetriamine	(CAS No) 111-40-0	7 - 13
Triethylenetetramine	(CAS No) 112-24-3	5 - 10
Tetraethylenepentamine	(CAS No) 112-57-2	0.1 - 1
Bisphenol A	(CAS No) 80-05-7	0.1 - 1

SECTION 4: First aid measures

4.1.	Description of first aid measures		
First-aid r	neasures general	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid r	neasures after inhalation	:	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if breathing is affected. If breathing is difficult, supply oxygen.
First-aid r	neasures after skin contact	:	IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. Get medical attention immediately.
First-aid r	neasures after eye contact	:	IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses if present and easy to do so. Get medical attention immediately. Continue rinsing.
First-aid r	neasures after ingestion	:	IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison control center or medical professional. Get medical attention immediately.
4.2.	Most important symptoms and effec	ts,	both acute and delayed
Symptom	s/injuries	:	Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility. Suspected of damaging the unborn child.
Symptom	s/injuries after inhalation	:	May cause respiratory irritation.
Symptom	s/injuries after skin contact	:	May cause an allergic skin reaction. Causes severe skin burns and eye damage. Harmful in contact with skin.
Symptom	s/injuries after eye contact	:	Causes serious eye damage.
Symptom	s/injuries after ingestion	:	Harmful if swallowed.
Chronic s	ymptoms	:	Suspected of damaging fertility. Suspected of damaging the unborn child.
4.3.	Indication of any immediate medical	at	tention and special treatment needed

No additional information available

SECTION 5: Firefighting measures		
5.1.	Extinguishing media	
Suitable	extinguishing media	: Carbon dioxide. Dry powder. Alcohol-resistant foam. Sand.
5.2.	Special hazards arising from the	substance or mixture
Fire haz	ard	: No data available.
Explosic	on hazard	: No data available.

Reactivity : No dangerous reactions known under normal conditions of use.

Safety Data Sheet Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1.	Personal precautions, protective equipment and emergency procedures		
6.1.1.	For non-emergency personnel		
Protecti	ve equipment	:	Wear Protective equipment as described in Section 8.
Emerge	ncy procedures	:	Evacuate unnecessary personnel.
6.1.2.	For emergency responders		
Protecti	ve equipment	:	Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air respirator, in case of emergency.
6.2.	Environmental precautions		
Prevent	Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.		
6.3.	Methods and material for containm	nen	t and cleaning up
For con	tainment	:	Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods	s for cleaning up	:	Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Exclude sources of ignition and ventilate the area. Waste from this product may be hazardous as defined under RCRA (40 CFR 261).
6.4.	Reference to other sections		

No additional information available

SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Precaut	tions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid contact with eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Containers of this material may be hazardous when emptied. Do not breathe mist, spray.
7.2.	Conditions for safe storage, includ	ing any incompatibilities

Storage conditions

Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. :

Specific end use(s) 7.3.

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Propylene glycol diamine, 2-amino-, diether with Propylene (9046-10-0)			
Remark (ACGIH)	OELs not established		
Remark (OSHA)	OELs not established		
Bisphenol A (80-05-7)			
Remark (ACGIH)	OELs not established		
Remark (OSHA)	OELs not established		
Tetraethylenepentamine (112-57-2)			
Remark (ACGIH)	OELs not established		
Remark (OSHA)	OELs not established		
Diethylenetriamine (111-40-0)			
ACGIH TWA (ppm)	1 ppm		
OSHA PEL (TWA) (mg/m³)	4 mg/m³		
OSHA PEL (TWA) (ppm)	1 ppm		
Diethylenetriamine-bisphenol A-epichlorohydrin polymer (31326-29-1)			
Remark (ACGIH)	OELs not established		
Remark (OSHA)	OELs not established		

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Triethylenetetramine (112-24-3)	
Remark (ACGIH)	OELs not established
Remark (OSHA)	OELs not established
1,2-Ethanediamine, N,N'-bis(2-aminoethyl)-, polymer with methyloxirane (26950-63-0)
1,2-Ethanediamine, N,N'-bis(2-aminoethyl Remark (ACGIH))-, polymer with methyloxirane (26950-63-0) OELs not established

8.2. Exposure controls

Appropriate engineering controls

: Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

: Gloves. Wear chemical goggles and face shield in combination. Protective clothing.



Hand protection	: Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Be aware that the chemical may penetrate the gloves. Frequent changes are advisable. Gloves should be classified under Standard EN 374 or ASTM F1296. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl. Suitable gloves for this specific application can be recommended by the glove supplier.
Eye protection	Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airborne particles.
Skin and body protection	: Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.
Respiratory protection	: Use NIOSH-approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Color	: Light yellow.
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.3 °C (>200°F)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.01 g/cm ³
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Sparks. Heat. Open flame. Extremely high or low temperatures. Direct sunlight.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

: Oral: Harmful if swallowed. Dermal: Harmful in contact with skin.

Bisphenol A (80-05-7)				
LD50 oral rat	3300 mg/kg			
LD50 dermal rabbit	3 ml/kg			
LC50 inhalation rat (mg/l)	> 0.17 mg/l 6 h			
Tetraethylenepentamine (112-57-2)				
LD50 oral rat	2100 mg/kg			
Diethylenetriamine (111-40-0)				
LD50 oral rat	1080 mg/kg			
LC50 inhalation rat (mg/l)	70 mg/l/4h (vapor)			
Triethylenetetramine (112-24-3)				
LD50 oral rat	2500 mg/kg			
ATE CLP (dermal)	1100.000 mg/kg bodyweight			
Skin corrosion/irritation	: Causes severe skin burns and eye damage.			
Serious eye damage/irritation	: Not classified			
Respiratory or skin sensitisation	: May cause an allergic skin reaction.			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Suspected of damaging fertility. Suspected of damaging the unborn child.			
Specific target organ toxicity (single exposure)	: Not classified			
Specific target organ toxicity (repeated exposure)	: Not classified			
Aspiration hazard	: Not classified			
Symptoms/injuries after inhalation	: May cause respiratory irritation.			
Symptoms/injuries after skin contact	: May cause an allergic skin reaction. Causes severe skin burns and eye damage. Harmful in contact with skin.			
Symptoms/injuries after eye contact	: Causes serious eye damage.			
Symptoms/injuries after ingestion	: Harmful if swallowed.			
Chronic symptoms	: Suspected of damaging fertility. Suspected of damaging the unborn child.			

Symptoms/injuries after eye contact : Causes serious eye damage. Symptoms/injuries after ingestion : Harmful if swallowed. Chronic symptoms : Suspected of damaging fertility. Suspected of damaging the unborn child. SECTION 12: Ecological information : Suspected of damaging fertility. Suspected of damaging the unborn child. 12.1. Toxicity : Harmful to aquatic life. Toxic to aquatic life with long lasting effects. 12.2. Persistence and degradability : Harmful to aquatic life. Toxic to aquatic life with long lasting effects.

No additional information available

12.3. Bioaccumulative potential

No additional information available

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration 13.1. Waste treatment methods	
Waste treatment methods	: Do not discharge to public wastewater systems without permit of pollution control authorities No discharge to surface waters is allowed without an NPDES permit.
Waste disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Do not allow the product to be released into the environment.
SECTION 14: Transport information	1
In accordance with DOT	
Transport document description	: UN2735 Polyamines, liquid, corrosive, n.o.s., 8, II
UN-No.(DOT)	: 2735
DOT NA no.	: UN2735
Proper Shipping Name (DOT)	: Polyamines, liquid, corrosive, n.o.s.
Department of Transportation (DOT) Hazard Classes	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive

Packing group (DOT)	:	II - Medium Danger
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	1L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	30 L
DOT Vessel Stowage Location	:	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	:	52 - Stow "separated from" acids
Additional information		
Other information	:	No supplementary information available.
Transport by sea		

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

C5 Special Clear Catalyst

All chemical substances in this product are listed in the EPA (Environment Protection Agency) TSCA (Toxic Substances Control Act) Inventory

Bisphenol A	CAS #:	80-05-7	
Section 302 (EHS) TPQ			lb
Section 304 EHS RQ			lb
CERCLA RQ			lb
Section 313		Listed on US SARA Section 313	

15.2. International regulations

CANADA

No additional information available.

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65

This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

Bisphenol A (80-05-7)				
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List				
Tetraethylenepentamine (112-57-2)				
U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List				
Diethylenetriamine (111-40-0)				
U.S New Jersey - Right to Know Hazardous Substance List U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List				
Triethylenetetramine (112-24-3)				
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List				

SECTION 16: Other information	
Indication of changes	: Revision 1.0: New SDS Created.
Revision date	: 04/02/2015
Other information	: Author: NMR.
NFPA health hazard	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
NFPA fire hazard	: 0 - Materials that will not burn.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
HMIS III Rating	
Health	: 3*
Flammability	: 0
Physical	: 0
Personal Protection	:

The information on this Data Sheet represents our current data and best opinion as to the proper use in handling of this material under normal conditions. Any use of the material which is not in conformance with this Data Sheet or which involves using this material in combination with any other material or any other process is the responsibility of the user. All materials present unknown health hazards and should be used with caution. Although certain hazards are described herein, the manufacturer and its agents cannot guarantee that these are the only hazards which exist. Further, the manufacturer and its agents assume no responsibility for personal injury or property damage to vendors, users, or third-parties caused by this material. User assumes all risks associated with the use of this material.